



# CME iM2 UV Curable Printing System

Ideal for Mailing, Printing, Bindery, Packaging, Web, Newspaper Addressing, Marking, Coding, Barcode, Labels, Polybags and More!

## OVERVIEW

The high-resolution CME-iM2 UV Inkjet printer provides a versatile, cost-effective solution to meet the need for variable data printing on a range of coated and uncoated substrates. Capable of printing addresses, barcodes, 2D codes, QR codes, numbering, logos and graphics, the CME- iM2 is suitable for mailing and addressing applications, as well as labels, tickets, security, plastic cards and business form applications.

The very small footprint and modular design of the CME-iM2 means that it is easily and quickly integrated into mailing lines, webs, and card lines. With all the printer electronics and ink delivery systems built into the Printhead assembly, it is designed for maximum uptime.

## FEATURES

- ◆ True UV Curable Inkjet Technology
- ◆ Smallest UV Curable Printhead available (2.13")
- ◆ Print Width at 2.13" standard
- ◆ High Speed – over 1200 fpm
- ◆ Premium Print Quality at a lower cost
- ◆ Compact Size – Easily Portable
- ◆ Installs quickly onto existing machinery
- ◆ Ease of Use with Simple Software
- ◆ Designed for Industrial Mailing – Printing – Bindery – Packaging and more
- ◆ Groundbreaking design

## PERFORMANCE

A smaller footprint, higher throughput, lower costs, and proven technologies, the CME-iM2 is a solid performer in the Mailing – Printing – Packaging – Newspaper industries.

With a UV inkjet printing system, you can print on coated, uncoated, plastic cards, bags and much more.

It's clean design, simple to operate interface and low maintenance process ensure a short learning curve and rapid implementation of any new installation.

# CME iM2 UV Curable Printing System

Continued from front side.

## HIGH QUALITY AT HIGH SPEED

The CME-iM2 supports up to a 600-dpi resolution always giving you maximum quality—there is little that cannot be printed with incredible sharpness. For all production applications where throughput is critical, the iM2 is capable of ultra-fast speeds to meet your productivity goals.

- ◆ 600 DPI Print Resolution (1280 print nozzles)
- ◆ 1 to 3 drop capability
- ◆ Up to 1200 fpm line speed

## PREMIUM CAPABILITIES AT A LOWER COST

The iM2's initial cost is significantly lower than other solutions but goes beyond just hardware costs. Factoring in reduced maintenance, efficient use of inks, and reliability, the iM2 has an incredibly low Total Cost of Ownership.

- ◆ Lowest cost UV curable print solution
- ◆ Quickest ROI in the industry
- ◆ Reduced Operational costs

## COMPACT SIZE

Not only is the Printhead compact, so is the interface enclosure. For the first time, trying to find space on your equipment for bulky ink handling systems and print heads is no longer a concern.

- ◆ Smallest Printhead available
- ◆ Compact Printhead, Compact Connectivity Panel
- ◆ Fits in to existing installations with ease

## SIMPLE TO INTEGRATE

With a compact footprint and solid mounting design, upgrading existing print solutions with the iM2 is a straightforward process. Using 80/20 as the mounting bar, custom lengths can be accommodated to meet any installation.

- ◆ Installs quickly into existing machinery
- ◆ Precision mounting gives exact control
- ◆ Small footprint allow for implementing multiple head installations



**2 Meter Umbilical**  
Carries ink and electrical signals

**1 Liter Ink Supply**  
Hot Swappable

**Status LEDs**  
System, Print, Encoder/Sensor, Pump, Pressure and Temperature Status



**Connectivity Panel**  
Encoder, Print Trigger, I/O, Ethernet

**2.13" Print Head**  
Ultra-small footprint  
4.25" x 3.5"

## SPECIFICATIONS

◆ <b>Maximum Print Height</b>	2.13" / 54 mm
◆ <b>Maximum Printhead Supported</b>	10 (34" / 866mm max width)

Characteristic	
Print Width	2.13"/54.1mm
Resolution	600 dpi
Number of Drops	1 to 3
Drop Level (1/2/3)	7 pl / 14 pl / 24 pl
Frequency Response	60kHz
Custom Colors	Yes
Smallest Readable Font Size	3pt

Horizontal Resolution	Maximum Speed*	
	m/min	ft/min
600	137	450
300	274	900
150	356	1,200

\* Speed will vary with ink type and drop size.